

# PRESS RELEASE

# NATIONAL AGRICULTURAL STATISTICS SERVICE

United States Department of Agriculture • Washington, DC 20250 Northwest Regional Field Office • Olympia, WA 98507 Ag Statistics Hotline: 1-800-727-9540 • www.nass.usda.gov

Posted online August 12, 2021

# Regional Contacts

Phone: 1-800-435-5883 Email: nassrfonwr@usda.gov

- Washington Christopher Mertz, NW Regional Director
- Idaho Randy Welk, State Statistician
- Oregon Dave Losh, State Statistician
- Alaska Sue Benz, State Statistician

### Winter Wheat

Based on August 1, 2021 conditions, production of winter wheat in Idaho is forecast at 52.9 million bushels, down 7 percent from the July 1 forecast and down 21 percent from last year. Harvested area, at 670,000 acres, is up 10,000 acres from 2020. Yield is expected to be 79.0 bushels per acre, down 22.0 bushels from 2020. Oregon winter wheat production is forecast at 32.0 million bushels, down 4 percent from last month and down 31 percent from last year. Harvested area, at 695,000 acres, is down 30,000 acres from 2020. Yield is expected to be 46.0 bushels per acre, down 18.0 bushels from the previous year. Washington winter wheat production is forecast at 74.4 million bushels, down 20 percent from last month and down 44 percent from last year. Harvested area, at 1.69 million acres, is down 60,000 acres from 2020. Yield is expected to be 44.0 bushels per acre, down 32.0 bushels from the previous year.

### **Spring Wheat**

Idaho spring wheat production is forecast at 34.7 million bushels, down 1 percent from the July 1 forecast and down 23 percent from last year. Harvested area, at 495,000 acres, is unchanged from 2020. Yield is expected to be 70.0 bushels per acre, down 21.0 bushels from 2020. Washington spring wheat production is forecast at 18.9 million bushels, down 5 percent from last month and down 42 percent from last year. Harvested area, at 540,000 acres, is up 5,000 acres from 2020. Yield is expected to be 35.0 bushels per acre, down 26.0 bushels from the previous year.

#### **Barley**

Idaho barley production is forecast at 35.4 million bushels, down 5 percent from the July 1 forecast and down 36 percent from last year. Harvested area, at 460,000 acres, is down 40,000 acres from 2020. Yield is expected to be 77.0 bushels per acre, down 33.0 bushels from 2020. Washington barley production is forecast at 3.07 million bushels, down 2 percent from last month and down 52 percent from last year. Harvested area, at 59,000 acres, is down 12,000 acres from 2020. Yield is expected to be 52.0 bushels per acre, down 38.0 bushels from the previous year.

#### Oats

Idaho oats production is forecast at 891,000 bushels, down 2 percent from the July 1 forecast and down 38 percent from last year. Harvested area, at 11,000 acres, is down 3,000 acres from 2020. Yield is expected to be 81.0 bushels per acre, down 21.0 bushels from 2020. Oregon oats production is forecast at 522,000 bushels, down 8 percent from the July 1 forecast and down 25 percent from last year. Harvested area, at 6,000 acres, is down 1,000 acres from 2020. Yield is expected to be 87.0 bushels per acre, down 13.0 bushels from the previous year.



# Corn

Idaho corn production is forecast at 22.9 million bushels, down 12 percent from last year. Harvested area, at 110,000 acres, is down 20,000 acres from 2020. Yield is expected to be 208.0 bushels per acre, up 9.0 bushels from 2020. Corn production in Washington is forecast at 16.9 million bushels, down 7 percent from last year. Harvested area, at 75,000 acres, is down 5,000 acres from 2020. Yield is expected to be 225.0 bushels per acre, down 3.0 bushels from 2020.

# **Dry Edible Beans**

Based on August 1, 2021 conditions, dry bean production in Idaho is forecast at 1.73 million cwt., up 9 percent from last year. Harvested area, at 68,000 acres, is up 2,000 acres from 2020. Yield is expected to be 25.5 cwt. per acre, up 1.4 cwt. per acre from 2020. Dry bean production in Washington is forecast at 1.58 million cwt., up 41 percent from last year. Harvested area, at 59,000 acres, is up 19,000 acres from 2020. Yield is expected to be 26.7 cwt. per acre, down 1.3 cwt. per acre from 2020.

# Alfalfa Hay

Idaho alfalfa hay production is forecast at 4.24 million tons, down 7 percent from last year. Harvested area, at 1.01 million acres, is unchanged from 2020. Yield is expected to be 4.2 tons per acre, down 0.3 ton from 2020. Oregon alfalfa hay production is forecast at 1.67 million tons, up 1 percent from last year. Harvested area, at 380,000 acres, is up 20,000 acres from 2020. Yield is expected to be 4.4 tons per acre, down 0.2 ton from the previous year. Washington alfalfa hay production is forecast at 1.51 million tons, down 16 percent from last year. Harvested area, at 420,000 acres, is up 10,000 acres from 2020. Yield is expected to be 3.6 tons per acre, down 0.8 ton from the previous year.

# Other Hay

Idaho other hay production is forecast at 448,000 tons, down 38 percent from last year. Harvested area, at 280,000 acres, is down 10,000 acres from 2020. Yield is expected to be 1.6 tons per acre, down 0.9 ton from 2020. Oregon other hay production is forecast at 1.08 million tons, down 18 percent from last year. Harvested area, at 540,000 acres, is down 60,000 acres from 2020. Yield is expected to be 2.0 tons per acre, down 0.2 ton from the previous year. Washington other hay production is forecast at 805,000 tons, down 1 percent from last year. Harvested area, at 350,000 acres, is up 70,000 acres from 2020. Yield is expected to be 2.3 tons per acre, down 0.6 ton from the previous year.

# Hops

Hop production in Idaho, Oregon, and Washington is forecast at 117 million pounds for 2021, up 13 percent from last year. Area strung for harvest, at 60,750 acres, is up 4 percent from 2020. Yield is estimated at 1,924 pounds per acre, 154 pounds higher than in 2020. If realized, this will be the highest production and acreage on record.

Farm operator surveys were conducted between July 30 and August 6 to gather information on expected yield as of August 1. The farm operator survey was conducted primarily by telephone with some use of mail, internet and personal interviewers. These growers will continue to be surveyed throughout the growing season to provide indications of average yields. The survey data were also reviewed considering weather patterns and crop progress compared to previous months and previous years.

For small grain progress and condition in Idaho, Oregon, and Washington please reference the State publications available at <a href="http://www.nass.usda.gov/Publications/State\_Crop\_Progress\_and\_Condition">http://www.nass.usda.gov/Publications/State\_Crop\_Progress\_and\_Condition</a>

# Field Crop Area Harvested, Yield, and Production — Idaho, Oregon, Washington, and United States: 2020 and Forecasted August 1, 2021

Crop and State		Area harvested		Yield p	er acre	Production	
		2020 2021		2020	2021	2020	2021
		(1,000 acres)	(1,000 acres)	(units)	(units)	(1,000 units)	(1,000 units)
Winter wheat	(bushels)						
Idaho	· /	660	670	101.0	79.0	66,660	52,930
Oregon		725	695	64.0	46.0	46,400	31,970
						,	- ,
Washington		1,750	1,690	76.0	44.0	133,000	74,360
United States		23,024	25,443	50.9	51.8	1,171,022	1,318,735
Spring wheat	(bushels)						
Idaho	` '	495	495	91.0	70.0	45,045	34,650
Washington		535	540	61.0	35.0	32,635	18,900
United States		12,060	11,215	48.6	30.6	585,990	343,410
Officed States		12,000	11,215	40.0	50.0	565,990	545,410
Durum wheat	(bushels)						
Idaho		9	5	89.0	89.0	801	445
United States		1,662	1,444	41.4	24.0	68,808	34,660
Barley	(bushels)						
Idaho	· /	500	460	110.0	77.0	55,000	35,420
Oregon		25	(NA)	72.0	(NA)	1,800	(NA)
		71	· · ·		· · ·		· · ·
Washington			59	90.0	52.0	6,390	3,068
United States		2,133	2,044	77.5	51.6	165,324	105,557
Oats	(bushels)						
Idaho	· · · · · · · · · · · · · · · · · · ·	14	11	102.0	81.0	1,428	891
Oregon		7	6	100.0	87.0	700	522
United States		1,004	722	65.1	57.4	65,355	41,431
		,			-	,	, -
Corn, grain	(bushels)	100	110	100.0	000.0	05.070	00.000
Idaho		130	110	199.0	208.0	25,870	22,880
Washington		80	75	228.0	225.0	18,240	16,875
United States		82,467	84,495	172.0	174.6	14,182,479	14,750,368
Dry beans <sup>1</sup>	(cwt)						
Idaho	( )	66.0	68.0	24.10	25.50	1,592	1,734
							,
Washington		40.0	59.0	28.00	26.70	1,120	1,575
United States		1,676.5	1,391.0	19.66	16.75	32,963	23,302
Sugarbeets	(tons)						
Idaho	· · ·	169.0	170.0	40.5	40.4	6,845	6,868
Oregon		9.4	10.2	40.9	44.0	384	449
Washington		1.8	1.7	47.8	48.1	86	82
United States	•••••	1,142.3	1,133.7	29.4	29.7	33,618	33,710
Alfalfa and alfalfa mixtures for hay	(tons)						
Idaho		1,010	1,010	4.50	4.20	4,545	4,242
Oregon		360	380	4.60	4.40	1,656	1,672
5		410	420	4.40	3.60	1,804	1,512
Washington					2.97	53,067	47,813
United States		16,230	16,123	3.27	2.97	55,007	47,013
Other hay	(tons)						
Idaho		290	280	2.50	1.60	725	448
Oregon		600	540	2.20	2.00	1,320	1,080
Washington		280	350	2.90	2.30	812	805
United States		36,008	35,414	2.05	2.00	73,745	70,927
		,		,		-,	
Hops	(pounds)		c				
Idaho		9,268	9,700	1,855	1,860	17,190.1	18,042.
Oregon		7,104	7,470	1,755	1,680	12,468.7	12,549.
5		42,269	43,580	1,754	1,980	74,151.5	86,288.4
Washington							

(NA) Not available. <sup>1</sup> Excludes beans grown for garden seed and chickpeas. Yield and Production are clean basis.

### Wheat Production by Class — United States: 2020 and Forecasted August 1, 2021

[Wheat class estimates are based on the latest available data including both surveys and administrative data. The previous end-of-year season class percentages are used throughout the forecast season for States that do not have survey or administrative data available.]

Сгор	2020	2021	
	(1,000 bushels)	(1,000 bushels)	
Winter			
Hard red	658,640	776,855	
Soft red	266,235	365,508	
Hard white	12,179	16,131	
Soft white	233,968	160,241	
Spring			
Hard red	530,152	305,421	
Hard white	10,687	8,159	
Soft white	45,151	29,830	
Durum	68,808	34,660	
Total	1,825,820	1,696,805	

# Dry Edible Bean Area Planted by Commercial Class — Idaho, Washington, and United States: 2020, and Forecasted August 1, 2021

[Excludes beans grown for garden seed and chickpeas.]

Commercial class	Ida	iho	Washi	ington	United States	
	2020	2021	2020	2021	2020	2021
	(1,000 acres)					
Large lima	(D)	(D)	(D)	(D)	10.9	6.8
Baby lima	(D)	(D)	2.7	4.2	9.1	8.1
Navy	1.0	1.0	1.0	1.4	233.3	206.3
Great northern	4.5	4.4	1.1	1.9	80.0	55.1
Small white	1.7	2.3	(D)	(D)	6.1	6.6
Pinto	25.4	25.1	13.0	17.0	762.9	617.1
Light red kidney	2.4	2.3	2.9	7.0	60.7	62.9
Dark red kidney	4.4	4.3	1.8	(D)	102.9	83.0
Pink	6.0	6.3	(D)	(D)	16.6	18.0
Small red	5.5	5.3	4.7	4.8	47.6	48.5
Cranberry	(D)	(D)	1.8	8.7	7.4	15.6
Black	5.3	4.9	(D)	(D)	342.8	276.0
Blackeye	(D)	-	(D)	-	19.3	13.7
Other	10.1	12.1	3.8	4.1	40.4	37.3
All dry edible beans	68.0	70.0	41.0	60.0	1,740.0	1,455.0

- Represents zero.

(D)Withheld to avoid disclosing data for individual operations.

#### Access to NASS Reports

For your convenience, you may access NASS reports and products the following ways:

- All reports are available electronically, at no cost, on the NASS web site http://www.nass.usda.gov
- Both national and state specific reports are available via a free e-mail subscription. To set-up this free subscription, visit <u>http://www.nass.usda.gov</u>. Hover over the "Publications" drop down. Under "Receive reports by Email" section in the lower right corner, select the report(s) you would like to receive.

For more information on NASS surveys and reports, call the NASS Agricultural Statistics Hotline at (800) 727-9540, 7:30 a.m. to 4:00 p.m. ET, or e-mail: <u>nass@usda.gov</u>